



Update _2_0_148

Clinical Reminders

VA-COVID 19 TEMPLATE UPDATES

Install Guide

June 2020

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION 1

INSTALL DETAILS 3

INSTALL EXAMPLE 3

POST INSTALLATION 7

Introduction

DESCRIPTION:

1. The offices of Infectious Disease, Surgery, GI, Population Health, Emergency Medicine, and Nursing have worked together to provide the following changes to the Screening COVID note template – in reflection of the current recommendations for VA national needs (as of 06/03/20).
 - a. The screen question for diarrhea was changed to include nausea and vomiting. If yes is chosen, the list of symptoms displays to choose which one.
 - b. A new screen question was added asking about headache, loss of taste or loss of smell. If yes is chosen, the list of symptoms displays to choose which one.
2. Based on feedback from the field, the COVID-19 return to work template was updated to include the following changes:
 - a. A local element was included for sites to add site specific information in the letter header area
 - b. Changed “tense” to be had not has for the status question.
 - c. Added new status option of Patient Tested Negative with date tested and a text field for comments (optional)
 - d. Changed the provider signature area to be local so that sites could either add a free text or dropdown field.

A new reminder dialog group named VA-UPDATE 148 COVID SCREEN UPDATE is included in this update, it contains only the reminder dialog elements and groups that changed in the COVID-19 screening template. This new dialog group was created so that when you install the exchange file, any local edits you had previously made to the local components in the screening template would not be impacted.

When you install it will update the COVID-19 screen template in multiple places including ED, Nursing Admission and SCI Screen as well as anywhere you have the COVID-19 screening template embedded.

UPDATE_2_0_148 contains 1 Reminder Exchange entry:

UPDATE_2_0_148 VA-COVID-19 TEMPLATE UPDATES

The exchange file contains the following components:

TIU TEMPLATE FIELDS

BLANK SPACE1
VA COVID COMMENT
COVID-19 CDC RISK ASSESSMENT
VA COVID SITE NAME
DATE (*)
VA COVID PROVIDER

HEALTH FACTORS

VA-REMINDER UPDATES
VA-UPDATE_2_0_148
VA-COVID-19
VA-COVID-19 RETURN TO WORK
VA-NO HEADACHE LOSS OF TASTE OR SMELL
VA-SYMPTOM LOSS OF SMELL
VA-SYMPTOM LOSS OF TASTE
VA-SYMPTOM HEADACHE
VA-SCI/D COVID SCREEN
VA-SCI/D COVID SCREEN ADDL SYMPTOM
VA-SCI/D COVID SCREEN NO ADDL SYMPTOM
VA-SCI/D COVID SCREEN OTHER SYMPTOM
VA-SCI/D COVID SCREEN CONJUNCTIVITIS
VA-SCI/D COVID SCREEN NAUSEA
VA-SCI/D COVID SCREEN LOSS SMELL
VA-SCI/D COVID SCREEN LOSS TASTE
VA-SCI/D COVID SCREEN MYALGIA
VA-SCI/D COVID SCREEN SORE THROAT
VA-COVID-19 OUTSIDE PCR SPEC COLLECTED
VA-COVID-19 PCR LAB OUTSIDE NEGATIVE
VA-COVID-19 PCR LAB OUTSIDE POSITIVE
VA-NO NAUSEA VOMITING OR DIARRHEA
VA-SYMPTOM VOMITING
VA-SYMPTOM NAUSEA
VA-TRAVEL SCREEN [C]
VA-TRAVEL DIARRHEA YES
VA-COVID SCREEN NEGATIVE
VA-COVID SCREEN POSITIVE
VA-TRAVEL FLU NO
VA-TRAVEL FLU YES
VA-TRAVEL COUGH NO
VA-TRAVEL COUGH YES
VA-TRAVEL FEVER NO
VA-TRAVEL FEVER YES
VA-COVID-19 NO PRIOR DIAGNOSIS
VA-COVID-19 NOT WAITING FOR LABS
VA-COVID-19 WAITING FOR LABS

REMINDER TERM

VA-REMINDER UPDATE_2_0_148

REMINDER DIALOG

VA-COVID-19 RETURN TO WORK
VA-UPDATE 148 COVID SCREEN UPDATE

Install Details

This update is being distributed as a web host file. The address for the host file is:
https://Redacted/UPDATE_2_0_148.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

If your site is unable to use LWH, you will have a vista mail message with subject of UPDATE 148.


Installation:

=====

This update can be loaded with users on the system. Installation will take less than 10 minutes.

Install Example

To Load the Web Host File. Navigate to Reminder exchange in Vista



```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                LMM  Load MailMan Message
CMM  Create MailMan Message          LR   List Reminder Definitions
DFE  Delete Exchange File Entry      LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History             RP   Repack
Select Action: Next Screen// LWH    Load Web Host File
Input the URL for the .prd file: https://[Redacted]/UPDATE_2_0_148.PRD
```

At the **Select Action:** prompt, enter **LWH** for Load Web Host File

At the **Input the url for the .prd file:** prompt, type the following web address:

https://Redacted /UPDATE_2_0_148.PRD

You should see a message at the top of your screen that the file successfully loaded.

Search and locate an entry titled **UPDATE_2_0_148 VA-COVID TEMPLATE UPDATES** in reminder exchange.

+Item	Entry	Source	Date Packed
170	UPDATE_2_0_148 VA-COVID-19 TEMPLATE UPDATES		06/03/2020@13:04
171	UPDATE_2_0_15 VA-LIPID STATIN RX CVD/DM		02/01/2019@07:19
172	UPDATE_2_0_16 VA-WH MAHMOGRAM SCREENING		09/15/2017@05:59
173	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE		11/14/2016@08:43
174	UPDATE_2_0_17 VA-WH PRECONCEPT ION CARE		11/14/2016@09:36
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History	RP	Repack
Select Action: Next Screen// IFE Install Exchange File Entry			
Enter a list or range of numbers (1-405): 170			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
Enter the number that corresponds with your entry UPDATE_2_0_148 VA-COVID TEMPLATE UPDATES (*in this example it is entry 170 it will vary by site*). The date of the exchange file should be 06/03/2020.

Component	Category	Exists
Source: <input type="text"/>		
Date Packed: 06/03/2020@13:04:30		
Package Version: 2.0P35		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-UPDATE 148 COVID SCREEN UPDATE		
VA-COVID-19 RETURN TO WORK		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_148		
Non-exchangeable TIU object(s):		
.....		
TIU Object: PATIENT NAME		
Object Method: S X=\$\$NAME^TIULO(DFN)		
+ Enter ?? for more actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// IA		

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.
Select Action: Next Screen// **IA Install all Components**
You will see several prompts, for all new entries you will choose **I to Install**

For components that already exists but the packed component is different, you will choose S to Skip.

You will be prompted to install the FIRST reminder dialog component – You will choose to install all even though the components have an X to indicate that they exist. These components have been updated and should be installed.

Packed reminder dialog: VA-COVID-19 RETURN TO WORK [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-COVID-19 RETURN TO WORK	dialog	X
2	2	VA-COVID-19 VETERAN RETURN TO WORK VERSION NUMBER Finding: *NONE*	element	X
3	3	VAL-COVID RTW LETTER HEADER Finding: *NONE*	element	X
4	5	VA-COVID 19 EMPLOYER LETTER PT IDENT Finding: VA-COVID-19 RETURN TO WORK (HEALTH FACTOR)	element	X X
5	8	VA-COVID BLANK SPACE Finding: *NONE*	element	X
6	10	VA-GP COVID EMPLOYER QUESTION	group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details		DT	Dialog Text
DF	Dialog Findings		DU	Dialog Usage
DS	Dialog Summary		IA	Install All
Select Action: Next Screen// IA				
IS Install Selected				
OU Quit				

At the Select Action prompt, type IA to install the dialog – VA-COVID-19 RETURN TO WORK

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: Y// Yes

Packed reminder dialog: VA-COVID-19 RETURN TO WORK [NATIONAL DIALOG]				
VA-COVID-19 RETURN TO WORK (reminder dialog) installed from exchange file.				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-COVID-19 RETURN TO WORK	dialog	X
2	2	VA-COVID-19 VETERAN RETURN TO WORK VERSION NUMBER Finding: *NONE*	element	X
3	3	VAL-COVID RTW LETTER HEADER Finding: *NONE*	element	X
4	5	VA-COVID 19 EMPLOYER LETTER PT IDENT Finding: VA-COVID-19 RETURN TO WORK (HEALTH FACTOR)	element	X X
5	8	VA-COVID BLANK SPACE Finding: *NONE*	element	X
6	10	VA-GP COVID EMPLOYER QUESTION	group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// Q				

After completing this dialog install, you will type Q.

You will be prompted to install the SECOND reminder dialog component – You will choose to install all even though the components have an X to indicate that they exist. These components have been updated and should be installed.

Packed reminder dialog: VA-UPDATE 148 COVID SCREEN UPDATE [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-UPDATE 148 COVID SCREEN UPDATE Finding: *NONE*	group	
2	5	VA-COVID SCREEN VERSION Finding: *NONE*	element	X
3	10	VA-GP COVID PRIOR TESTING N Finding: VA-COVID-19 NO PRIOR DIAGNOSIS (HEALTH FACTOR)	group	X X
4	10.3	VA-GP COVID SYMPTOM PRIOR TEST Finding: *NONE*	group	X
5	10.3.5	VA-COVID SYMPTOM PRIOR TEST Finding: VA-COVID-19 WAITING FOR LABS (HEALTH FACTOR)	element	X X
6		PXRM COMMENT	prompt	X
7	10.3.10	VA-COVID SYMPTOM PRIOR TEST N Finding: VA-COVID-19 NOT WAITING FOR LABS (HEALTH FACTOR)	element	X X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-UPDATE 148 COVID SCREEN UPDATE**

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: Y// **Yes**

Packed reminder dialog: VA-UPDATE 148 COVID SCREEN UPDATE [NATIONAL DIALOG]				
VA-UPDATE 148 COVID SCREEN UPDATE (group) installed from exchange file.				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-UPDATE 148 COVID SCREEN UPDATE Finding: *NONE*	group	X
2	5	VA-COVID SCREEN VERSION Finding: *NONE*	element	X
3	10	VA-GP COVID PRIOR TESTING N Finding: VA-COVID-19 NO PRIOR DIAGNOSIS (HEALTH FACTOR)	group	X
4	10.3	VA-GP COVID SYMPTOM PRIOR TEST Finding: *NONE*	group	X
5	10.3.5	VA-COVID SYMPTOM PRIOR TEST Finding: VA-COVID-19 WAITING FOR LABS (HEALTH FACTOR)	element	X
6		PXRM COMMENT	prompt	X
7	10.3.10	VA-COVID SYMPTOM PRIOR TEST N Finding: VA-COVID-19 NOT WAITING FOR LABS (HEALTH FACTOR)	element	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// 0				

After completing this dialog install, you will type Q.

Component	Category	Exists
Source:		
Date Packed: 06/03/2020@13:04:30		
Package Version: 2.0P35		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-UPDATE 148 COVID SCREEN UPDATE		
VA-COVID-19 RETURN TO WORK		
REMINDER TERM		
VA-REMINDER UPDATE_2_0_148		
Non-exchangeable TIU object(s):		
.....		
TIU Object: PATIENT NAME		
Object Method: S X=\$\$NAME^TIULO(DFN)		
+ + Next Screen - Prev Screen ?? More Actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// 0		

You will then be returned to this screen. At the Select Action prompt, type **Q**.

Install complete.

Post Installation

1. Open the COVID-19 screening template and confirm that the version number is 4.1 and that you see the updated symptom questions if the patient has not been diagnosed with COVID-19.
2. Open the COVID-19 return to work template and confirm that the version displays as 2.1.
3. Optional - The reminder dialog element VAL-COVID RTW LETTER HEADER is a local class, you can edit this reminder dialog element and add your facility information to the dialog text if needed. Add this information before the date. *If you have your facility information included in the document definition parameter, then you do not need to make any edits to this element.*
4. Optional – The reminder dialog element VAL-COVID-19 RTW PROVIDER SIGNATURE is a local class, you can edit this reminder dialog element and add a local txml field for the provider to type into or a local txml field for the provider to choose their name from a list for inclusion in the letter text if needed.